INDIAN INSTITUTE OF MANAGEMENT AMRITSAR

Punjab Institute of Technology, Inside Government Polytechnic Compound, Chheharta, GT Road Amritsar- 143105, Phone: 0183-2820034

Ref No. S11804/4/20 / 199	Date:- 09-11-2020

Sub: - Notice inviting quotations for the AMC of Audio Visual Equipments.

Sir,

Quotations are invited *for the AMC of Audio Visual Equipments* on IIM Amritsar's e-Tender portal. The quotation should be uploaded on IIM Amritsar e-Tender portal by 12.00 PM of 17-11-2020. The quotations will be opened on the same day, i.e. 17-11-2020 at 12.30 PM. Quantity and specification of the items are mentioned in **Annexure A.**

- 1. Offer must be legible, clear and free from overwriting and cutting. Incomplete submissions are liable to be rejected.
- 2. AMC will cover One Year Onsite Service Maintenance of Audio-Visual Equipment including quarterly preventive maintenance, Corrective maintenance and repair as per the requirements.
- 3. The service provider shall be required to attend or respond within 24 hours of the registration of the complaint, failing which the AMC contract will be automatically terminated and payment of the AMC period will not be paid. The institute will not be liable for the same.
- 4. The replacement of any equipment should happen on written confirmation from the OEM that equipment is not repairable and the institute will bear the cost of replacement of equipment.
- Any other charges, such as packing and forwarding, delivery charges, sales tax, etc. if any should be included in AMC Contract.
- 6. AMC will start first with Preventive, followed by Corrective/repair Service. The payment will be released quarterly after receiving the service reports and bills.
- 7. Quotations received after the prescribed date and time will not be considered.
- 8. The service provider must have the competency in handling the equipment for which quotation is furnished to execute the AMC contract with IIM Amritsar. Supporting document should be attached.
- 9. The service provider should have three (03) years of experience in the same type of services, that must have been provided at a national level of organization. The service provider must have well-trained and certified workforce to handle the AMC. Supporting document should be attached.
- 10. The Institute reserves the right not to accept the lowest quotation without assigning any reason for the rejection.
- 11. The service provider should replace the equipment with an equivalent brand in case it is found non-repairable during the AMC period. The service provider shall be fully responsible for the functioning of the AV equipments during the AMC period.
- 12. Initially, the AMC will be for one year, it maybe extended on a yearly basis maximum upto three year with the consent of the service provider as per the requirements and satisfactory performance of service provider.

डॉ. सिमरन्दीप सिंह थापर
DR. SIMRAMAITE ARTHUR THAPAR
प्रशापनि डामिसिस्ट विशेषिक मिन्निस्ट अस्टिन अस्टिन स्थान अस्टिन स्थान अस्टिन स्थान अस्टिन स्थान प्राचन प्राचन

Annexure A

S. No	Description	Brand/Model	Qty	Unit Price	Amount
1	Projector Screen	Grandview Cyber Series CB100	2	THE SHAM	
2	Podium	Univeso /UN72	2		
3	Eight Button Room Controller	Kramer/RC-78R	2	drag griffial)	orem - r
4	HDMI	Kramer/VN-22H	2		s ni
5	Speakers	JBL/Control 25AV	2	restrict Mily	- Literalge in
6	Amplifier	Crown /XLS 1002	2		
7	Channel Amplifier	Yamaha/NG10XU	2		iu= 3672
8	Gooseneck Microphone	AKG/CGN99CL	2	d pauramini	
9	Handheld Microphone	AKG/Perception Wireless Vocal Set	2	lie renderet A	e, sairaide
10	Lapel Microphone	AKG/Perception Wireless Presenter Set	2		Tay No How
11	Cables and Connectors	Custom	2	ر باد ایرینسد بر	أربشيك
Total					any casagai Camum
edgr li	on the money will be never	GST TO A STATE OF THE BOARD OF	witnes	of gire gent w	
	the state of the s	Grand total			

Dr. Simrandeep Singh Thapar Administrative Officer

डॉ. सिमरनदीप सिंह थापर
DR. SIMRANDEEP SINGH THAPAR
प्रशासनिक अधिकारी/Administrative Officer
भारतीय प्रबन्ध संस्थान अमृतसर
Indian Institute of Management Amritsar
पी.आई.टी.भवन/P.I.T. Building
सरकारी पोलीटेकनिक परिसर, अमृतसर-143105
Govt. Polytechnic Compound, Amritsar-143106